

CSCE 520 Final Exam


Fall 2018

Do all problems, putting your answers on separate paper. All answers should be reasonably short. The exam is open book, open notes, but no electronic devices. You have two and a half hours.

When you submit your exam pages, staple them together with a single staple in the upper left-hand corner. A stapler will be provided. Make sure your name is on at least the first page. During the test, be sure not to write anything in the area that will be underneath the staple.

There are 150 points total. 130 points constitutes full credit, and undergraduates get a free 13-point boost. Any score in excess of full credit counts as extra credit.

- (10 points) This question refers to the diagram below, redrawn from Figure 1.1 of the text, describing the major components of a DBMS and their interactions:



Briefly answer ONE of the following questions, specifying which question you are answering:

- What is the function of the logging and recovery module, and when is it needed?
- What kind of communication occurs between the transaction manager and concurrency control?

2. (30 points total) Let $R(A, B, C, D, E)$ be a relation whose schema satisfies the following functional dependencies:

- $AC \rightarrow D$
- $AD \rightarrow B$
- $AE \rightarrow C$
- $B \rightarrow D$
- $CDE \rightarrow A$

- (a) (5 points) Compute the closures $\{A, C\}^+$, $\{A, D\}^+$, and $\{A, E\}^+$.
- (b) (5 points) List all keys of R . [Hint: there are exactly three keys.]
- (c) (5 points) List the FDs that hold in $\pi_{A,D,E}(R)$. You can omit FDs that follow from those you list.
- (d) (15 points) Decompose R completely into BCNF relations as efficiently as possible without losing any information (lossless join). Use the method described in the textbook or in class. (You may lose some FDs in the decomposition; that is OK.) There may be more than one correct answer.

3. (5 points) Let R and S be the following two tables, respectively:

A B	C D
----+----	----+----
1 3	2 4
4 2	3 2
3 3	2 2
3 1	1 2

Write a table for $\pi_{A,C}(R \bowtie (\gamma_{C, \text{avg}(D) \rightarrow B}(S)))$, assuming bag operations. Tuple order does not matter.

4. (45 points total) Assume our usual relational database schema for students taking classes:

```
Student(sid, name, status)
Class(crn, semester, instructor)
Course(crn, prefix, courseNo, title)
Takes(sid, crn, semester, grade)
```

Where:

- The primary key for `Student` is `(sid)`.
- The primary key for `Class` is `(crn, semester)`.
- The primary key for `Course` is `(crn)`.
- The primary key for `Takes` is `(sid, crn, semester)`.
- `grade` is of numerical type, between 0.0 and 4.0.

For parts (b,c,d) you may use subqueries as you see fit, provided they are reasonable.

- (10 points) Give a relational algebra expression that returns, for each instructor and possible student status, the average grade among all students with the given status taking all courses with that instructor prior to Fall 2018 (a single number for each instructor/status combination). You may use `<`, `≤`, etc. to compare semesters chronologically.
- (10 points) Give an SQL query for the above that is not gratuitously complex.
- (10 points) Give a data modification statement in SQL that removes all undergraduate students (status 'UG') from all CSCE courses numbered 700 and above.
- (15 points) Recall that the `CREATE ASSERTION` command in SQL has syntax

```
CREATE ASSERTION <assertion-name> CHECK (<condition>);
```

and creates the global constraint that `<condition>` must hold at all times.

Give a `CREATE ASSERTION` command that enforces the requirement that no student in any class can have the same name as that class's instructor.

5. (40 points total) Consider the following relational database schema:

```
Book(ISBN, title, edition, year, publisherName)
Writes(authorName, ISBN)
Publisher(name, address)
```

Assume the following constraints on the data:

Primary Keys: A book is uniquely identified by its ISBN. A publisher is uniquely identified by its name.

Uniqueness: No two books (different ISBNs) may have the same title and edition.

Value Constraints: The title of a book cannot be null.

Referential Integrity: An ISBN appearing in the `Writes` table must also appear in the `Book` table. A `publisherName` appearing in the `Book` table must appear as a name in the `Publisher` table.

- (15 points) Give `CREATE TABLE` commands in SQL for the three relations above, giving attribute types that are reasonably appropriate and consistent. Also incorporate the given constraints. (Note that `edition` should be an integer, 1 for first, 2 for second, etc.)
- (10 points) Express the constraint (in the form $R = \emptyset$, where R is some expression in relational algebra) that no two editions of any title can appear in the same year.

- (c) (15 points) Suppose the tables described in the last problem above are made up of the following tuples (rows sorted by key and blank entries NULL):

Book:	<u>ISBN</u>	<u>title</u>	<u>edition</u>	<u>year</u>	<u>publisherName</u>
	140	Winning Ways	1	1982	Academic Press
	143	Automatic Sequences		2003	Cambridge
	207	Structural Complexity	1	1988	Springer
	354	Quantum Mechanics	1	1979	Springer
	399	Structural Complexity	2	1990	Springer
	446	Algebraic Coding Theory		1968	McGraw-Hill
	591	Aperiodic Order	1	2013	Cambridge
	651	The Domino Problem		1966	AMS
	829	Proofs from THE BOOK	4	2010	Springer
	904	On Numbers and Games	2	1976	Academic Press

Writes:	<u>authorName</u>	<u>ISBN</u>	Publisher:	<u>name</u>	<u>address</u>
	Aigner, M.	829		Academic Press	New York
	Allouche, J.-P.	143		ACM	New York
	Baake, M.	591		AMS	Providence
	Balcázar, J.L.	207		Cambridge	Cambridge
	Balcázar, J.L.	399		Elsevier	Amsterdam
	Berger, R.	651		IEEE	New York
	Berlekamp, E.R.	140		McGraw-Hill	New York
	Berlekamp, E.R.	446		Springer	Heidelberg
	Böhm, A.	354		Trauner	Linz
	Conway, J.H.	140			
	Conway, J.H.	904			
	Díaz, J.	207			
	Díaz, J.	399			
	Gabarró, J.	207			
	Gabarró, J.	399			
	Grimm, U.	591			
	Guy, R.	140			
	Shallit, J.	143			
	Ziegler, M.	829			

What is returned by the following SQL queries?

- i.

```
SELECT name FROM Publisher
WHERE address NOT IN (
  SELECT address FROM Book, Publisher
  WHERE publisherName = name AND year < 1980);
```
- ii.

```
SELECT title, year
FROM Book NATURAL JOIN (
  SELECT publisherName, min(ISBN) minISBN FROM Book
  GROUP BY publisherName) P
WHERE ISBN = minISBN;
```
- iii.

```
(SELECT title
FROM Book, Writes
WHERE Book.ISBN = Writes.ISBN AND authorName < 'B')
UNION
(SELECT title
FROM Book
WHERE edition > 1)
UNION
(SELECT title
FROM Book, Publisher
WHERE publisherName = name AND address = 'New York');
```

6. (20 points total) This problem refers to an XML document with bibliographic data, stored locally with file name `bibliography.xml`.

```

<Bibliography>
  <Bibitem id = "rbg" type = "incollection" cites = "ro st">
    <Author>K. Ambos-Spies</Author>
    <Title>Resource-bounded genericity</Title>
    <Year>1996</Year>
  </Bibitem>
  <Bibitem id = "ro" type = "article" cites = "st">
    <Author>C.H. Bennett</Author>
    <Author>J. Gill</Author>
    <Title>Random oracles</Title>
    <Journal>SIAM J. Comput.</Journal>
    <Year>1981</Year>
  </Bibitem>
  <Bibitem id = "aft" type = "techreport" cites = "qcn">
    <Author>D. Coppersmith</Author>
    <Title>An approximate Fourier transform</Title>
    <Year>1994</Year>
  </Bibitem>
  <Bibitem id = "qcn" type = "article" cites = "ro">
    <Author>D. Deutsch</Author>
    <Title>Quantum computational networks</Title>
    <Year>1989</Year>
  </Bibitem>
  <Bibitem id = "pcpc" type = "inproceedings" cites = "ro qcn">
    <Author>S. Goldwasser</Author>
    <Author>M. Sipser</Author>
    <Title>Private coins versus public coins</Title>
    <Year>1986</Year>
  </Bibitem>
  <Bibitem id = "st" type = "book">
    <Author>T. Jech</Author>
    <Title>Set Theory</Title>
    <Year>1978</Year>
  </Bibitem>
</Bibliography>

```

- (a) (10 points) What, specifically, is returned by the following XQuery expression when run on the document above?

```

let $bibs := doc("bibliography.xml")/Bibliography
let $titles := (
  for $paper1 in $bibs/Bibitem[@type != "book"]
  for $paper2 in $bibs/Bibitem[Year >= 1990]
  where $paper1/@id = $paper2/@cites
  return $paper1/Title
)
return <RecentlyCited>{$titles}</RecentlyCited>

```

For readability's sake you may break lines and indent as appropriate.

- (b) (10 points) Write an XQuery expression that returns an element with tagname `BGcitors` that contains as subelements those authors that cite the 1981 paper of Bennett and Gill. Your query should work in general, not just on the specific data given above, but you can assume that the `id` attribute value "ro" identifies the Bennett and Gill paper.