

---

## CSCE774 – Robotics

### Fall 2011 – Homework 1

---

**Assigned:** September 6

**Due:** September 20, 12:30 pm

In this assignment, you will study discrete planning algorithms by implementing some software. You may use any language and computing platform you prefer.

### Problem description

The state space is a specific subset of a 2D integer grid. Let  $W$ , an integer, denote the *width* of the grid. To make things easier in the definition and the software, assume that  $W$  is divisible by 3. The state space  $X$  is the set of all  $(i, j)$  such that

- both  $i$  and  $j$  are integers, with  $1 \leq i \leq W$  and  $1 \leq j \leq W$ , and
- at least one of these four inequalities holds:  $i \leq W/3$ ,  $i > 2W/3$ ,  $j \leq W/3$ , and  $j > 2W/3$ .

These conditions yield an integer grid in which the middle 1/9 of the points are missing. For the initial state, use  $x_I = (1, 1)$ . Let the goal  $X_G$  be the set of all states  $(i, j)$  for which  $i > 2W/3$  and  $j > 2W/3$ .

Let  $A = \{0, 1, 2, 3, 4\}$  be a set of actions, which denote:

- 0 stay in the same location
- 1 move right one unit
- 2 move up one unit
- 3 move left one unit
- 4 move down one unit

Let  $U = A \cup \{u_T\}$ . For variations involving nature (see below), let  $\Theta = A$ . The state transition function  $f$  is formed by applying the effect of both  $u_k$  and  $\theta_k$ . If the resulting value is outside the state space, then the state remains unchanged. For problems that do not involve nature, one can assume that each  $\theta_k = 0$ , which means that nature does not interfere with the outcome. Note that the state does not change after  $u_T$  is applied, regardless of nature's actions.

For the cost function, let  $l(x_k, u_k) = 1$ , unless  $u_k = u_T$  (in this case,  $l(x_k, u_k) = 0$ ). For the final cost, use the usual  $l_F(x_F) = 0$  if  $x_F \in X_G$  and  $l_F(x_F) = \infty$  otherwise.

Assume that  $K$  is *not* given.

### Tasks

Your task is to create software that enables you to answer the following questions:

1. Assume that there are no nature effects and that  $W = 15$ . Use value iteration to compute an optimal action sequence. Give both the action sequence and the final resulting cost. How many iterations were required?

- 
2. Assume that there is nondeterministic uncertainty and  $W = 15$ . Explain what happens in this case. (Hint: This is easy.)
  3. Assume there is probabilistic uncertainty and  $W = 15$ . Assume that the following probabilities hold (except when  $u_k = u_T$ , in which case the state never changes):
    - $P(\theta_k = 0) = 1/2$
    - $P(\theta_k = 1) = 1/8$
    - $P(\theta_k = 2) = 1/8$
    - $P(\theta_k = 3) = 1/8$
    - $P(\theta_k = 4) = 1/8$

Use value iteration to compute the plan that minimizes the expected cost to within some reasonable accuracy. Show, on a  $15 \times 15$  grid, the optimal cost-to-go values for each state. On another  $15 \times 15$  grid, show robot's optimal action for each state under this strategy.

4. Conduct a simulation of the execution of the optimal strategy for the previous scenario. Generate at least 1000 sample paths by making nature decisions, according to the given distribution, using a pseudo-random number generator. For each path, compute the cost incurred. Make a histogram with cost values along the horizontal axis, and the frequency of their occurrence along the  $y$ -axis. What is the average cost incurred? How does this compare to computed expected cost for this strategy?
5. Have some fun with the code. How large can you make  $W$  and still get it to finish? What happens if  $P(\theta_k = 0)$  is chosen to be very small? If  $P(\theta_k = 0)$  is close to one, do you get results similar to that from part 1?

## Submitting your solution

Submit in class as hardcopy:

- A report answering the questions raised above.

Send by email:

- Any source code you wrote to complete the assignment.