




\* Structured maps allows us to bend wires however we like.  
wire bending is OK.



①




=




=




②




=



=




③



=




④




=





$$(|0\cdots 0\rangle \langle 0| + e^{i\alpha} |1\cdots\rangle \langle 1|) |0\rangle \\ = |0\cdots 0\rangle$$

\*  $\Pi$ -copy



$$\text{LHS} = (|0\cdots 0\rangle \langle 0| + e^{i\alpha} |1\cdots\rangle \langle 1|) \cdot X$$



$$= |0\cdots 0\rangle \underbrace{\langle 0| \cdot X}_{+ e^{i\alpha} |1\cdots\rangle \langle 1| \cdot X}$$

$$= |0\cdots 0\rangle \langle 1| + e^{i\alpha} |1\cdots\rangle \langle 0|$$

$$\text{RHS} = (X \otimes \cdots \otimes X) (|0\cdots 0\rangle \langle 0| + \bar{e}^{i\alpha} |1\cdots\rangle \langle 1|)$$


$$= |1\cdots 1\rangle \langle 0| + e^{-i\alpha} |0\cdots 0\rangle \langle 1|$$

\* Spider fusion.




$$\begin{aligned}
 & \left( \underbrace{|00\rangle\langle 00|}_{|11\rangle\langle 11|} + e^{i\alpha_1} \underbrace{|000\rangle\langle 00|}_{|111\rangle\langle 111|} + e^{i\alpha_2} |111\rangle\langle 111| \right) \\
 & = |00\rangle\langle 00| + e^{i(\alpha_1+\alpha_2)} |11\rangle\langle 11|
 \end{aligned}$$



Note:




③



=




=




\*


Some obvious rules:

color changing




=





\* bialgebra rule

copy



XOR

=

